Ethylene and Propylene Glycols in Water ZB-WAX 30m x 0.53mm x 1.0μm

Column: ZB-WAX

Dimensions: 30m x .53mm x 1.0µm

Oven: 80°C for 1 min to 200°C at 8°C/min for 5 min.

Flow: Constant He at 6.6 mL/min

Injector: 225°C; 1µL splitless

Detector: FID at 325°C

Analytes: Ethylene and Propylene Glycols at 1 ppm in HPLC water.

